

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|-----------------|------------------|---------|------------------|
| L1 | 103 | (client\$3 user\$3 subscriber\$3 first adj (client user subscriber individual person)) with (provid\$3 transfer\$4 transmi\$4 send\$3 forward\$3) with (passcode passkey key password token authenticat\$3) with second adj (client user subscriber individual person) and ((removable portable) adj (memory device) card idcard smartcard bankcard creditcard) and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:01 |
| L2 | 65 | (first adj (client user subscriber individual person)) with (provid\$3 transfer\$4 transmi\$4 send\$3 forward\$3) with (passcode passkey key password token authenticat\$3) with second adj (client user subscriber individual person) and ((removable portable) adj (memory device) card idcard smartcard bankcard creditcard) and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:01 |
| L3 | 50 | (first adj (client user subscriber individual person)) with (provid\$3 transfer\$4 transmi\$4 send\$3 forward\$3) with (passcode passkey key password token near authenticat\$3) with second adj (client user subscriber individual person) and ((removable portable) adj (memory device) card idcard smartcard bankcard creditcard) and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:04 |
| L4 | 2 | (first adj (client user subscriber individual person)) with (provid\$3 transfer\$4 transmi\$4 send\$3 forward\$3) with (passcode passkey key password token near authenticat\$3) with second adj (client user subscriber individual person) and ((removable portable) adj (memory device) card idcard smartcard bankcard creditcard flashcard) and (separate concurrent\$2 parallel\$3 diferent) adj3 (connection link channel session port "i/o") and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:16 |

| | | | | | | |
|-----|---|---|-----------------|----|----|------------------|
| L9 | 1 | (client1 user1 first adj3 (client user subscriber individual person)) with (provid\$3 transfer\$4 transmi\$4 send\$3 forward\$3) with (passcode passkey key password token near3 authenticat\$3) same (client2 user2 second adj3 (client user subscriber individual person)) and ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard) same (separate concurrent\$2 parallel\$3 different) adj3 (connection link channel session port "i/o") and (@ad<"20001219" @rlad<"20001219")) | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:20 |
| L10 | 4 | (client1 user1 first adj3 (client user subscriber individual person)) with (passcode passkey key password token near3 authenticat\$3) same (client2 user2 second adj3 (client user subscriber individual person)) and ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard) same (separate concurrent\$2 parallel\$3 different) adj3 (connection link channel session port "i/o") and (@ad<"20001219" @rlad<"20001219")) | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:22 |
| L11 | 7 | (client1 user1 first adj3 (client user subscriber individual person)) same (passcode passkey key password token near3 authenticat\$3) same (client2 user2 second adj3 (client user subscriber individual person)) and ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard) same (separate concurrent\$2 parallel\$3 different) adj3 (connection link channel session port "i/o") and (@ad<"20001219" @rlad<"20001219")) | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:29 |

| | | | | | | |
|-----|-----|--|-----------------|----|----|------------------|
| L12 | 641 | (client\$1 user\$1 first adj3 (client user subscriber individual person)) same (passcode passkey key password token near3 authenticat\$3) same (client\$1 user\$1 second adj3 (client user subscriber individual person)) and ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard).ab. and (separate concurrent\$2 parallel\$3 different) adj3 (connection link channel session port "i/o") and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:31 |
| L13 | 91 | (client\$1 user\$1 first adj3 (client user subscriber individual person)) same (passcode passkey key password token) near5 authenticat\$3 same (client\$1 user\$1 second adj3 (client user subscriber individual person)) and ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard).ab. and (separate concurrent\$2 parallel\$3 different) adj3 (connection link channel session port "i/o") and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:47 |
| L14 | 33 | 13 and reader and level and finger\$5 | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:32 |
| L15 | 28 | 13 and reader and level and finger\$5 and (encod\$3 encrypt\$3) and (decod\$3 decrypt\$3) | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:33 |
| L16 | 1 | 13 and reader and level and finger\$5 and (encod\$3 encrypt\$3) and (decod\$3 decrypt\$3)and first adj (passcode passkey key password token) and second adj (passcode passkey key password token) | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:48 |

| | | | | | | |
|-----|-----|--|-----------------|----|----|------------------|
| L17 | 848 | (client\$1 user\$1 first adj3 (client user)) same (passcode passkey key password token) near5 authenticat\$3 same (client\$1 user\$1 second adj3 (client user)) and ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard) and (separate concurrent\$2 parallel\$3 different) adj3 (connection link channel session port "i/o") and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 10:09 |
| L18 | 36 | 17 and reader and level and (bio\$6 finger\$5) and (encod\$3 encrypt\$3) and (decod\$3 decrypt\$3)and first adj (passcode passkey key password token) and second adj (passcode passkey key password token) | US-PGPUB; USPAT | OR | ON | 2006/02/09 08:52 |
| L23 | 3 | (client\$1 user\$1 first adj3 (client user)) same (passcode passkey key password token) near5 authenticat\$3 same (client\$1 user\$1 second adj3 (client user)) and ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard) and first adj2 (client\$1 user\$1)same first adj (passcode passkey key password token signature certif\$5) and second adj (client\$1 user\$1) with second adj2 (passcode passkey key password token signature certif\$5) and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 09:34 |
| L24 | 49 | (client\$1 user\$1 first adj3 (client user person individual)) with first adj (passcode passkey key password token) and ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard) and second adj2 (client\$1 user\$1 person individua) with second adj2 (passcode passkey key password token signature certif\$5) and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 09:38 |

| | | | | | | |
|-----|----|--|--------------------|----|----|------------------|
| L26 | 23 | 24 and first adj3 (passcode passkey key password token signature certif\$5) with (match\$3 map\$3 correspond\$3 associat\$3 relat\$3 synchroniz\$5 accord\$3 valid\$6) with second | US-PGPUB; USPAT | OR | ON | 2006/02/09 09:38 |
| L27 | 82 | (client\$1 user\$1 first adj (client user person individual)) with first adj3 (passcode passkey key password token) and ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard) and second adj (client\$1 user\$1 person individua) with second adj3 (passcode passkey key password token signature certif\$5) and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 09:38 |
| L28 | 28 | 27 and first adj3 (passcode passkey key password token signature certif\$5) with (match\$3 map\$3 correspond\$3 associat\$3 relat\$3 synchroniz\$5 accord\$3 valid\$6) with second | US-PGPUB; USPAT | OR | ON | 2006/02/09 09:39 |
| L29 | 8 | 27 and first adj3 (passcode passkey key password token signature certif\$5) with (match\$3 map\$3 correspond\$3 associat\$3 relat\$3 synchroniz\$5 accord\$3 valid\$6) with (communicat\$3 session connect\$3 link\$3 channel) with (remote external foreign second) | US-PGPUB; USPAT | OR | ON | 2006/02/09 10:06 |
| L30 | 86 | ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard) and first adj3 (passcode passkey key password token signature certif\$5) with (match\$3 map\$3 correspond\$3 associat\$3 relat\$3 synchroniz\$5 accord\$3 valid\$6) with (communicat\$3 session connect\$3 link\$3 channel) with (remote external foreign second) adj3 (passcode passkey key password token signature certif\$5) and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 10:07 |

| | | | | | | |
|-----|----|--|--------------------|----|----|------------------|
| L31 | 86 | ((removable portable) adj3 (memory device) card idcard smartcard bankcard creditcard flashcard pcmcia) and first adj3 (passcode passkey key password token signature certif\$5) with (match\$3 map\$3 correspond\$3 associat\$3 relat\$3 synchroniz\$5 accord\$3 valid\$6) with (communicat\$3 session connect\$3 link\$3 channel) with (remote external foreign second) adj3 (passcode passkey key password token signature certif\$5) and (@ad<"20001219" @rlad<"20001219") | US-PGPUB; USPAT | OR | ON | 2006/02/09 10:08 |
| L32 | 8 | (client1 same cleint2 user1 same user2 clientA same clientB userA same userB first adj (client user) same second adj (client user)) and 31 | US-PGPUB; USPAT | OR | ON | 2006/02/09 10:10 |